

TIMBER BASED LINE LAMINATE FLOORING

Laminate has many great characteristics that make it the optimal flooring in the home or in commercial buildings. With the large selection of different laminate floors, it is not surprising that there is a right laminate available for every area of use.

What Is Laminate Flooring?

Today laminate is one of the most popular floor surfaces in the world. What has not changed since the 1980's is the composition of laminate flooring. The general composition of laminate is composed of three layers.

The base layer of laminate is an impermeable, layer underneath the base that improves its structural stability and serves as a moisture barrier. The thick, middle layer is a wooden composite base. The topmost layer of laminate flooring is the wearing surface and the decorative layer that, depending on the production process, can consist of several layers. It consists of a special resin-treated cellulose and gives the floor a tough, durable surface and makes it visually attractive.

Especially on the surface, the differences between inferior laminate flooring and the high-quality laminate become clear. In particular for the design: a good laminate floor feels comfortable and demonstrates a natural-looking structure. At the same time, the high-quality finishing of the laminate provides many advantages.

Why to buy laminate flooring?

Laminate is an ideal alternative to genuine wooden floors. In the world of laminate flooring, you will find a wide selection of wonderful decors, with an emphasis on the natural look. Laminate has many advantages: it is durable, hard-wearing, and creates a comfortable, feel-good atmosphere in your home.

Laminate need not fear comparison with other types of flooring surfaces – far from it! The technology in the manufacture of laminate flooring has been developed to ensure that laminate offers stylish quality that can be seen. Laminate combines a number of advantages that hardly any other type of flooring can offer.

Where you may apply laminate flooring?

You can see – laminate has many great characteristics that make it the optimal flooring in the home or in commercial buildings. With the large selection of different laminate floors, it is not surprising that there is a right laminate available for every area of use.

Discover more about which laminate flooring is best suited for the various uses in your home. After all, a floor covering in frequently used rooms such as the hallway has to meet very different requirements compared to the living room or the basement. A laminate floor must be much more robust in the children's room or a room that is used as an office than in the bedroom. And believe it or not – now there are even laminates which you can lay in the bathroom or other damp rooms without any problem.

The décors of modern laminate are at least as diverse as the areas of use. Turn the rooms in your home into distinctive oases of well-being. Spice up your living room with the classic country house floorboard and introduce colourful accents. With the vintage laminate, you can brighten up a dark hallway and make it friendlier. In addition to classic and natural wood, you can also choose laminate in tile-look. So, your flooring looks very similar to a natural stone floor, but has the positive, homely characteristics of laminate.

SURFACE OPTIONS



RGSM2



RGSXL



RGSB



TMB



RGSM1



RGSP




WOOD


TIMBER BASED LINE LAMINATE FLOORING

COLOR OPTIONS


Kindly request for colour chart and ask available stock options.




PORTO



MADRID



BENIN




FOGO




BARI




AMBER OAK




BAHAMA



VOSTOK




LISBON




TOBA




OSLO



PADOVA



PORTO



TURKANA



RETRO SILVER



TOKYO



SAMOS



LECCE




OPEL OAK




MARBELLA



BORA




MANILA



TORINO



OSLO



HAVANA

TIMBER BASED LINE LAMINATE FLOORING

COLOR OPTIONS

Kindly request for colour chart and ask available stock options.



RETRO STONE



NOVA



SANREMO



SICILY



QUARTZ



PANAMA




COMO



SIENA




SORENTO




LARA




FETHIYE



AGVA



BEYKOZ



GENOVA



CRYSTAL OAK



TROY




UNYE



PAMUKKALE



BELEK



WHITE OAK




ALANYA




CYPRESS



PEARL PINE



ROME



TERME

TIMBER BASED LINE LAMINATE FLOORING

COLOR OPTIONS

Kindly request for colour chart and ask available stock options.



BEYDAG



SUMELA



KARTEPE




TOPAZ OAK



KOYCEGIZ



BEYOGLU



MANYAS



**ENDLESS WHITE
PINE**




ASPENDOS



MILAS



ASUR



HITTITE




GOZTEPE




SANTORINI




KARAKUM




KERPE



RIO




ACACIA




CIDE




KADIKOY




SWEDEN PINE




MARMARIS



VENICE



GOLCUK




SAFRANBOLU

TIMBER BASED LINE LAMINATE FLOORING

COLOR OPTIONS

Kindly request for colour chart and ask available stock options.




GELIBOLU




MUDANYA




EPHESUS OAK




WHITE OAK




SERENGETI




GIZA



JASPER OAK



AMASRA



SARIYER



DIDIM



PALERMO



SEVILLA




GOLDEN OAK




SIDE



KARSIYAKA




INCA




BABYLON



BERGAMO




LIMA




GOBI




SILVER OAK




USKUDAR




MILAN



AGATE OAK



INEBOLU



CEBECI

TIMBER BASED LINE LAMINATE FLOORING

FSC CHAIN OF CUSTODY DECLARATION



Certificate SGS-COC-010904

The Organization

**YILDIZ ENTEGRE AĞAÇ SANAYİ VE
TİCARET A.Ş.**

Arsılabey O.S.B. Mah. 1. Cadde No:13 Kartepe 41285,
Kocaeli, Turkey

has been assessed and certified as meeting the requirements of

FSC® Chain-of-Custody

The company was assessed against the following standards:
FSC-STD-40-003 V2-1 Chain of Custody Certification of Multiple Sites – November 2014,
FSC-STD-40-004 Version 3.0 FSC Standard for Chain of Custody Certification – April 2017
FSC-STD-50-001 Requirements for use of the FSC trademarks by Certificate Holders

for the products detailed in the scope below

This certificate is valid from 15 January 2019 until 10 January 2020
and remains valid subject to satisfactory surveillance audits.
Issue 3. Certified since December 2016

SGS Ref # TR16/2389541

This is a multi-site certification scheme
Additional site details are listed on the subsequent page

Authorised by



SGS South Africa (Pty) Ltd
PO Box 90, Gallo Manor, 2052, Huawei Office Park, Building 1, Western Service Road, Woodmead
Johannesburg, 2191, South Africa
t +27 (0) 11 800-1000 f +27 (0) 11 800-1020 <http://www.sgs.com/en/Products/Forestry>



**The mark of
responsible forestry**

The validity of this certificate shall be verified on <http://info.fsc.org>
For the full list of product groups covered by the certificate see <http://info.fsc.org>
This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC-certified (or FSC Controlled Wood).
Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is
clearly stated on sales and delivery documents.
This certificate remains the property of SGS. The certificate and all copies or reproductions shall be returned or destroyed if requested by SGS.

Page 1 of 2





This document is issued by the Company subject to its General Conditions of
Certification. Services accessible at www.sgs.com/terms_and_conditions.htm.
Attention is drawn to the limitations of liability, indemnification and jurisdictional
issues established therein. The authenticity of this document may be verified at
<http://www.sgs.com/certified-clients-and-products/certified-client-directory>. Any
unauthorized alteration, forgery or falsification of the content or appearance of this
document is unlawful and offenders may be prosecuted to the fullest extent of the
law.

FSC CHAIN OF CUSTODY DECLARATION CONTINUED

Certificate SGS-COC-010904, continued

**YILDIZ ENTEGRE AĞAÇ SANAYİ VE
TİCARET A.Ş.**

FSC® Chain-of-Custody

Issue 3
Detailed scope

Akhisar Factory: Purchasing and selling round wood (logs), wood chips, sawdust (FSC 100%, FSC Mix); purchasing of paper (FSC 100%, FSC Mix); production and sales of melamine particleboard, MDF (Medium density fibreboard), HDF (High density fibreboard) (FSC 100%, FSC Mix) – Transfer System.

Kartepe Factory: Purchasing and selling of round wood (logs), wood chips (FSC 100%, FSC Mix); purchasing of uncoated paper (FSC 100%, FSC Mix); production and sales of MDF (Medium density fibreboard), HDF (High density fibreboard), soft board, laminate flooring, moldings, impregnated papers, melamine particleboard, doors and doors frame (FSC 100%, FSC Mix) – Transfer System.

Akdeniz Factory: Purchasing and selling of round wood (logs), wood chips (FSC 100%, FSC Mix); purchasing of uncoated paper (FSC 100%, FSC Mix); production and sales of MDF (Medium density fibreboard), HDF (High density fibreboard), soft board, laminate flooring, moldings, impregnated papers, melamine particleboard (FSC 100%, FSC Mix) – Transfer System.

Mudurnu Factory: Purchasing and selling of round wood (logs), wood chips, sawdust (FSC 100%, FSC Mix); purchasing of paper (FSC 100%, FSC Mix), production and sales of melamine particleboard, MDF (Medium density fibreboard), HDF (High density fibreboard) (FSC 100%, FSC Mix) – Transfer System.

The covered products and processes are performed by the network of sites, and not necessarily by each of them

Additional facilities

Kartepe Factory: Arslanbey O.S.B. Mah. 1. Cadde No:13, Kartepe, 41285, Kocaeli / Turkey

Mudurnu Factory: Yıldırım Beyazıt Mah. Bolu Cad. No:231 14800, Mudurnu / Bolu / Turkey

Akdeniz Factory: Burhan OSB Mah. 8.Cad. No:8, Akdeniz, Mersin / Turkey

Akhisar Factory: Akhisar O.S.B. 3. Cadde, No:17, Akhisar, Manisa / Turkey




The mark of responsible forestry

This document is issued by the Company subject to its General Conditions of Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page 2 of 2

CE DECLARATION OF PERFORMANCE



Performans Beyanı(Declaration of Performance)

Performans No(Performance No): YLDZ ENT-LP 001

Referanslar(References):

Yapı Malzemeleri Yönetmeliği (305/2011/AB)
Construction Products Regulation (305/2011/EU)

Uyumlaştırılmış Standart Kapsamı (EN 14041:2004/AC:2006)
Harmonised Standart (EN 14041:2004/AC:2006)

1. Ürün tipi kimlik kodu:

Unique identification code of the product-type:

Laminant Yer Döşemeleri
Laminate Floor Coverings

2. Yapı malzemesinin tip, parti veya seri numarası ya da tanımlanmasını sağlayacak diğer unsurlar (Bu Yönetmeliğin 13 üncü maddesinin dördüncü fıkrası gereğince)

Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 13 (4) of the CPR.

Yıldız Home, Poloclick

3. Yapı malzemesinin ilgili uyumlaştırılmış teknik şartnamesine göre imalatçı tarafından öngörülen kullanım amacı veya amaçları:

Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

EN 14041:2004/AC:2006 Elastik, Tekstil ve Lamine Yer Döşemeleri -Yer döşemesi olarak iç ve dış mekanlarda kullanılmaktadır.

EN 14041:2004/AC:2006 Textile, Laminate and Modular Multilayer Floor Coverings – that are used for indoor and outdoor as laminate flooring.

4. İmalatçının adı, tescilli ticarî unvanı veya tescilli markası ile adresi (Bu Yönetmeliğin 13 üncü maddesinin beşinci fıkrası gereğince)

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 13 (5)

Yıldız Entegre Ağaç Sanayi ve Ticaret Anonim Şirketi – Arslanbey Organize Sanayi Bölgesi Mahallesi 1. cadde No: 13 Kartepe / Kocaeli – Türkiye

Yıldız Entegre Wood Industry and Trade Company – Arslanbey OIZ, 1. Street No:3 Kartepe / Kocaeli - Turkey

CE DECLARATION OF PERFORMANCE CONTINUED

5. Mevcut ise, yetkili temsilcinin adı ve adresi: (Bu Yönetmeliğin 14 üncü maddesinin ikinci fıkrasında belirtilen görevleri haiz)

Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 14 (2)

-

6. Yapı malzemesinin performansının değişmezliğinin değerlendirilmesi ve doğrulanması sistem veya sistemleri: (Bu Yönetmeliğin Ek-5'inde belirtilen.):

System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

SİSTEM 3

SYSTEM 3

7. Uyumlaştırılmış bir standart kapsamında olan bir yapı malzemesine ilişkin performans beyanında:

In case of the declaration of performance concerning a construction product covered by a harmonised standard:

EN 13329+A:2017 kapsamlarında TSE Tarafınca Belgelendirilmiş Sistem 3 altında bulunan Performans Değerlerinin Deney Raporları.

Test Reports of Performance Values under System 3 Certified by TSE under EN 13329+A1:2017.

"YILDIZ HOME"	Belge No(Document No): 026331-TSE-04/03
"POLOCLICK"	Belge No(Document No): 026331-TSE-02/02
"VARIOCLIC"	Belge No(Document No): 026331-E1-07/01
"TERRAClick"	Belge No(Document No): 026331-E1-06/01
"SMARTCLICK"	Belge No(Document No): 026331-E1-05/01
"VARIOCLIC"	Belge No(Document No): LAB-D-13/121362-2
"YILDIZ HOME"	Belge No(Document No): QA-2017-0095

8. Hakkında düzenlenmiş bir Avrupa Teknik Değerlendirmesi olan bir yapı malzemesine ilişkin performans beyanında:

In case of the declaration of performance concerning a constructions product for which a European Technical Assessment has been issued:

Bknz. Madde 7

Look. Article 7

9. Beyan edilen performans;

Declared performance;

TIMBER BASED LINE LAMINATE FLOORING

CE DECLARATION OF PERFORMANCE CONTINUED

Şirket İçi Doküman / Internal Document

Temel Karakteristikler (Typical characteristics)	Test Standartı (Test method)	Performans (Performance)	Uyumlaştırılmış Standart (Harmonised Standard)
Yangına Tepki (Reaction to fire)	EN 13501-1 + A1:2010		EN 14041:2004/AC:2006
Pentaklorofenol muhtevası (Content of pentachlorophenol)	EN 12673:2000		
Formaldehit Emisyonu (Emissions of formaldehyde)	EN 717-1:2006		
Su Geçirmezlik (Water-tightness)	EN 13553:2017	NPD	
Kayganlık (Slip resistance)	EN 13893:2004		
Elektriksel Davranış (Electrical behaviour)	EN 1815:2006	NPD	
Isı İletkenlik (Thermal conductivity)	EN 12524:2000	NPD	

10. 1. ve 2. Madde de tanımlanan malzemenin performansı, 9. madde de beyan edilen performansa uygundur. Bu performans beyanına ilişkin tüm sorumluluk yalnızca 4. Madde de tanımlanan imalatçıya aittir.

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

İmalatçı adına imzalayan:

Signed for and on behalf of the manufacturer by:

Adı Soyadı

(Name and surname)

: Kenan Çağrı NEVRUZ

Bu belgeyi imzalayan kişinin ünvanı

(Function)

: Kalite Müdürü (Quality Manager)

Düzenlenen yer, tarih

(Place and Date)

: Kocaeli / 04.02.2020

İmza

(Signature)

	
1783 YILDIZ ENTEGRE AĞAÇ SANAYİ VE TİCARET A.Ş. Arslanbey O.S.B. Mah. 1.cadde No:13 Kartepe / KOCAELİ 10 Performans No: YLDZENT - LP 001 Declaration of Performance : YLDZENT - LP 001 Nüme Deklarazı : YLDZENT - LP 001 *Kullanım amacı iç yapılarda zemin kaplama *Intended use as a floor covering in a building *Zamierzone zastosowanie do stłokowania jako pokrycie podłogowe wewnątrz budynku EN 14041:2004/AC:2006 *Yangına Tepki (Reaction to fire) C _s S1 (Reakcja na ogień) *Formaldehit Emisyonu (formaldehyde emission) E1 (Klasa emisji formaldehydu) *Kayganlık (Slip resistance) DS (Odpornosc na poślizg)	

FR (FIRE RESISTANCE CLASS) CERTIFICATE

证书 • CERTIFICADO • СЕРТИФИКАТ • CERTIFICAT • شهادة • CERTIFICATE • SERTİFİKA

DENEY SERTİFİKASI
TEST CERTIFICATE



TÜRK
STANDARTLARI
ENSTİTÜSÜ
TURKISH
STANDARDS
INSTITUTION

Firma Unvanı
Company Name

Firma Adresi
Company Address

Numunenin Tanımı
Sample Description

Ticari Marka/Model
Commercial Brand/ Model

Deneylerin Yapıldığı Tarih Aralığı
Date Interval of Tests

**Uygulanan Standard(lar) / Metot
(lar) ve/veya Tebliğ/Yönetmelik**
Applied Standard/Method and/or
Notification / Regulations

Deney Raporları
Related Test Reports

Özet Açıklama
Summary Explanation

: YILDIZ ENTEGRE AĞAÇ SANAYİ VE TİCARET ANONİM ŞİRKETİ

**: ARSLANBEY OSB MAH. 1. CAD. YILDIZ ENTEGRE AĞAÇ SANAYİ VE TİCARET A.Ş. NO:13 /1
KARTEPE 41285-/KOCAELİ**

: LAMİNANT PARKE (LAMINATED FLOORING)

: YILDIZ HOME / -

: 21.05.2019 - 19.07.2019

**: 25/04/2013 - TS EN 13501-1 + A1, 12/04/2011 - TS EN ISO 11925-2 , 13/01/2011 - TS EN
ISO 9239-1**

: TSE / 22/07/2019 - 479872, TSE / 22/07/2019 - 479873, TSE / 22/07/2019 - 479874

**: Firma tarafından gönderilen numune(ler) yukarıda atf yapılan raporun(ların) verildiği
laboratuvar(lar)da test edilmiş ve yukarıda atf yapılan deney raporunda(larında)
uygulanan ilgili standard(lar) / metot(lar) / tebliğ(ler) / yönetmelik(ler) maddesine(lerine)
göre uygunluk bulunmuştur. The sample(s) submitted by the company has been tested in
laborator(y)(ies) where the above mentioned report(s) are given and found to comply with
the relevant clause(s) of the applied standard (s) / method (s) / communiqué (s) /
regulation (s) in test report(s) above mentioned**



Sonuç (Result)
Yangına Tepki Sınıfı : Bfl-s1
Reaction To Fire Class : Bfl-s1
e-imzalı/e-signed
DR. METEHAN ÇALIŞ
YAPI MALZEMELERİ YANGIN VE AKUSTİK LABORATUVAR MÜDÜRLÜĞÜ
DIRECTORATE OF CONSTRUCTION MATERIALS FIRE AND ACOUSTICS
LABORATORY

Sertifika No : LAB17-DS/148
Certificate No

Veriliş Tarihi : 23.08.2019
Date of Issue

Son Geçerlilik Tarihi : 23.08.2022
Date of Expiry

Bu sertifika istek üzerine yukarıda atf yapılan rapor(lar) istinaden düzenlenmiş olup sadece deneyi yapılan numune için geçerlidir. Bu sertifika herhangi bir "Ürün Belgesi" veya "Uygunluk Belgesi" niteliğinde değildir. Bu sertifika TSE marka kullanım hakkı vermez, ayrıca partiyi temsil etmez. This certificate was prepared upon request according to the mentioned test report(s) above and represents only tested sample(s). This certificate does not represent any "Product Certificate" or "Certificate of Conformity". This certificate does not give permission to use the brand of TSE, also does not represent the batch.

<https://evrakkontrol.tse.org.tr/SertifikaDogrulama.aspx?p=uganSesg> adresinden belgenin doğruluğunu ve geçerliliğini sorgulayınız.
Please, question the authenticity and validity of the certificate from the given link <https://evrakkontrol.tse.org.tr/SertifikaDogrulama.aspx?p=uganSesg>





keyglobal
com.tr

12

E0 ENVIRONMENTAL PROTECTION CERTIFICATE

TÜRK STANDARDLARI ENSTİTÜSÜ EO UYGUNLUK BELGESİ TURKISH STANDARDS INSTITUTION CERTIFICATE OF CONFORMITY TO EO	
	
BELGE NUMARASI REFERENCE NUMBER OF LICENCE	026331-E0-01/02
BELGENİN İLK VERİLİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	20.01.2017
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	05.11.2020
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	YILDIZ ENTEGRE AĞAÇ SANAYİ VE TİCARET ANONİM ŞİRKETİ
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	ARSLANBEY OSB MAH. 1. CAD. YILDIZ ENTEGRE AĞAÇ SANAYİ VE TİCARET A.Ş. NO:13 /1 KARTEPE KOCAELİ/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	YILDIZ ENTEGRE AĞAÇ SANAYİ VE TİCARET A.Ş.
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	ARSLANBEY OSB MAH. 1. CD. NO:13 KARTEPE KOCAELİ / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	026331-E0-01/01
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	YILDIZHOME
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS EN 717-1 / 13.04.2006
BELGE KAPSAMI SCOPE OF LICENCE	-LAMİNANT YER DÖŞEMELERİ, FORMALDEHİT SALINIMI EO
	
	11.11.2019 Belgelendirme Merkezi Başkanı Adına ÖMER FARUK DUMAN SAKARYA BELGELENDİRME MÜDÜRÜ
*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir. *Bu belge, hiç bir suretle tahrif edilemez, kısmen veya okunmasını zorlaştıracak şekilde çoğaltılamaz, kopyalı ve silinti yapılamaz. *TSE SAKARYA BELGELENDİRME MÜDÜRLÜĞÜ * Adres: 1. Organize Sanayi Bölgesi Doğu Kapısı Şehit Zekeriya Göz Yaman Cad. Hanlı / ADAPAZARI * Telefon: 2642912675* Faks: 2642912678 *TSE BELGELENDİRME MERKEZ BAŞKANLIĞI; Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27; Faks:0 312 416 66 17 E-posta : tmb@tse.org.tr , web : www.tse.org.tr	
https://evrakkontrol.tse.org.tr/BelgeDogrulama.aspx?p=eus902ym adresinden belgenin doğruluğunu ve geçerliliğini sorgulayınız.	
	1 / 1



CERTIFICATE

SC0609-17

Composite Wood Products

Holder/Issued to/Manufacturer

Yildiz Entegre Ağaç San. ve Tic. A.Ş.

Burhan OSB Mah. 8. Cad. No. 8, Akdeniz, MERSIN, Turkey

Manufacturing plant

Mersin, Turkey

Products

MDF Board

Product type 1: MDF 5,6-39 mm

Certificate

The product described above fulfils the requirements in respect of formaldehyde emissions according to the requirements set out in EPA 40 CFR, TSCA Title VI, § 770.10.

By this, the products described above also fulfil the requirements in respect of formaldehyde emissions according to the requirements set out in the California Air Resources Board Regulation:
§ 93120, Phase 2.*

Marking

Each product or bundle covered by this certificate and complying with the requirements must be marked with a label or similar. The label shall contain the information specified in the regulation EPA, TSCA Title VI, § 770.45 and shall also include RISE, by EPA recognized, number as a third-party certifier: **TPC-13**

In addition, the manufacturer shall include, on the bill of lading or invoice, the approval number above and a statement that the product complies with EPA TSCA Title VI and CARB phase 2 emission standards

Validity

This certificate is valid until not later than 2022-05-03 provided that the continuous supervision is carried out and the results of the audit tests are complying with the requirements.

Miscellaneous

The manufacturer's own inspection procedures including small scale testing are under surveillance by RISE. This is the fifth issue of this certificate.



Martin Tillander



Ulrika Johansson

Certificate SC0609-17 | issue 5 | 2019-06-28

RISE Research Institutes of Sweden AB | Certification

Box 857, SE-50115 Borås, Sweden

+46 10 516 50 00 | certifying@ri.se | www.ri.se

7P01461-15-1

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE



* The requirements set out in the California Air Resources Board are not covered by the accreditation.



Page 1 (1)



CONTACTS

Beştepe Mahallesi, Dumlupınar Bulvarı,
Armada İş Merkezi 14. Kat
Yenimahalle, 06560, Ankara, Türkiye

Tel. +90 312 295 64 97 | Fax +90 312 295 62 00

info@keyglobal.com.tr | www.keyglobal.com.tr

